

Revision date: 29.06.2018

# **BIZOL Green Oil 5W30**

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

BIZOL Green Oil 5W30

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Motor oil

#### 1.3. Details of the supplier of the safety data sheet

Company name:	BIZOL BITA Trading GmbH	
Street:	Martin-Buber-Str. 12	
Place:	D-14163 Berlin	
Telephone: e-mail: Internet:	+49 (30) 804 869-0 support@bizol.de www.bizol.com	Telefax: +49 (30) 804 869-2860
<u>1.4. Emergency telephone</u> number:	Germany: +49 (30) 804 869-0 (08.0 In England and Wales: NHS Direct 24 24 24 In Republic of Ireland: 01	: 0845 4647 or 111 In Scotland: NHS 24 - 08454

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

#### 2.2. Label elements

Regulation (EC) No. 1272/2008

## Special labelling of certain mixtures

Safety data sheet available on request.

## 2.3. Other hazards

EUH210

Results of PBT and vPvB assessment: not applicable.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Chemical characterization

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according	to Regulation (EC) No. 1272/2008 [C	LP]	
64742-54-7	distillates (petroleum), hy	/drotreated heavy paraffinic		25 - <= 100 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304	·	·	
36878-20-3	bis(nonylphenyl)amine			1 - < 2.5 %
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
Polymer	calcium branched alkyl p	henate sulphide (overbased)		1 - < 2.5 %
	Aquatic Chronic 4; H413			

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**



Revision date:

# **BIZOL Green Oil 5W30**

29.06.2018

Page 2 of 7

## 4.1. Description of first aid measures

### **General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

## After inhalation

Remove casualty to fresh air and keep warm and at rest.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

See protective measures under point 7 and 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.



## Safety Data Sheet according to Regulation (EC) No 1907/2006

Revision date: 29.06.2018

## **BIZOL Green Oil 5W30**

Page 3 of 7

## Advice on protection against fire and explosion

No special measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL** values

CAS No	Substance				
DNEL type	DNEL type Exposure route Effect Value				
64742-54-7	distillates (petroleum), hydrotreated heavy paraffinic		-		
Consumer DNE	EL, long-term	inhalation	local	1,2 mg/m³	
Worker DNEL,	long-term	inhalation	local	5,4	
36878-20-3 bis(nonylphenyl)amine					
Worker DNEL, long-term		dermal	systemic	0,62 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	4,37 mg/m³	
Consumer DNEL, long-term		oral	systemic	0,31 mg/kg bw/day	
Consumer DNE	EL, long-term	dermal	systemic	0,31 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	1,09 mg/m³	

#### **PNEC** values

CAS No	Substance		
Environmental	Environmental compartment Value		
64742-54-7	distillates (petroleum), hydrotreated heavy paraffinic		
Secondary pois	Secondary poisoning 9,33 mg/kg		
36878-20-3 bis(nonylphenyl)amine			
Freshwater	Freshwater 0,1 mg/l		
Marine water	Marine water 0,01 mg/l		
Freshwater sed	Freshwater sediment 132000 mg/kg		
Marine sedimer	Marine sediment 13200 mg/kg		

#### 8.2. Exposure controls

## Appropriate engineering controls

See chapter 7. No additional measures necessary.

#### Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

### Eye/face protection

Eye glasses with side protection.

#### Hand protection

Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used



Revision date:

29.06.2018

# **BIZOL Green Oil 5W30**

Page 4 of 7

after contact.

Skin protection

Protective clothing.

## **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	green
Odour:	characteristic

		Test method
pH-Value:	not applicable	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Pour point:	< -36 °C	DIN ISO 3016
Flash point:	> 200 °C	EN ISO 2592
Lower explosion limits:	0,4 vol. %	
Upper explosion limits:	7,0 vol. %	
Ignition temperature:	not determined	
Decomposition temperature:	No information available.	
Vapour pressure: (at 20 °C)	< 0,1 hPa	
Density (at 15 °C):	0,86 g/cm³	DIN EN ISO 12185
Water solubility:	insoluble	
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic: (at 40 °C)	68 mm²/s	ASTM D 7042
Flow time:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		

No information available.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

No information available.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.



# **BIZOL Green Oil 5W30**

Revision date: 29.06.2018

#### 10.4. Conditions to avoid

Heat.

#### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No information available.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	distillates (petroleum), hyd	drotreated heavy paraffin	lic		
	oral	LD50 > 5000,0 mg/kg	Rat		
	dermal	LD50 > 5000,0 mg/kg	Rabbit		

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Practical experience

#### Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	bis(nonylphenyl)amine	3,60

#### BCF

CAS No	Chemical name	BCF	Species	Source
Polymer	calcium branched alkyl phenate sulphide (overbased)	2,2		

Page 5 of 7



according to Regulation (EC) No 1907/2006

Revision date:

29.06.2018

**BIZOL Green Oil 5W30** 

Page 6 of 7

## 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

No data available

## 12.6. Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

130205

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

#### Waste disposal number of waste from residues/unused products

OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

## Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

#### 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: NO Marine pollutant: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards **ENVIRONMENTALLY HAZARDOUS:** no 14.6. Special precautions for user No data available 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information

2010/75/EU (VOC):

0 %





Revision date:		BIZOL Green Oil 5W30	
29.06.2018			Page 7 of
Information accord	ing to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
National regulator	y information		
Water contaminatir	g class (D):	1 - slightly water contaminating	
15.2. Chemical safety			
		ostances in this mixture were not carried out.	
SECTION 16: Other	information		
Changes	contains changes fro	m the previous version in section(s): 9,11,15.	
Abbreviations and	-		
ADR: Accord en Agreement con RID: Règlemen concerning the IMDG: Internation IATA: Internation ICAO: Internation CAS: Chemical DNEL/DMEL: D	uropéen relatif au trans cerning the Internation t concernant le transp International Carriage onal Maritime Code fo nal Air Transport Asso onal Civil Aviation Org Abstracts Service (a	ociation anization division of the American Chemical Society) el / Derived Minimal Effect Level	
TWA (EC): Tim STEL (EC): She ATE: Acute Tox LD50: Lethal D LC50: Lethal C EC50: half max ErC50: EC50 ir AwSV: Verordn	ose, 50% (median leth oncentration, 50% (me imal Effective Concen o terms of reduction of	nit nal dose) edian lethal concentration) itration <sup>*</sup> growth rate n Umgang mit wassergefährdenden Stoffen	
Relevant H and EL	JH statements (numb	er and full text)	
H304 H413 EUH210	May cause lon	swallowed and enters airways. Ing lasting harmful effects to aquatic life . Ineet available on request.	
Further Informatio Safety Data Sh Regulation (EC	<b>n</b> eet according to COM	MISSION REGULATION (EU) 2015/830 of 28 May 2015 amending European Parliament and of the Council on the Registration, Evaluation,	
present-day known named in this s transferred to o	owledge. The informat afety data sheet, for si ther products. In the c	lusively the safety requirements of the product and is based on our tion is intended to give you advice about the safe handling of the product torage, processing, transport and disposal. The information cannot be case of mixing the product with other products or in the case of processing, eet is not necessarily valid for the new made-up material.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)