

according to Regulation (EC) No 1907/2006

Revision date: 25.09.2019

# **BIZOL Green Oil 5W40**

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

BIZOL Green Oil 5W40

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	
Motor oil	

## 1.3. Details of the supplier of the safety data sheet

Company name:	BIZOL BITA Trading GmbH	
Street:	Martin-Buber-Str. 12	
Place:	D-14163 Berlin	
Telephone: e-mail: Internet:	+49 (30) 804 869-0 support@bizol.de www.bizol.com	Telefax: +49 (30) 804 869-2860
<u>1.4. Emergency telephone</u> number:	Germany: +49 (30) 804 869-0 (08.0 In England and Wales: NHS Direct: 24 24 24 In Republic of Ireland: 01	0845 4647 or 111 In Scotland: NHS 24 - 08454

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

#### Special labelling of certain mixtures

EUH208Contains calcium long chain alkaryl sulfonate. May produce an allergic reaction.EUH210Safety data sheet available on request.

## 2.3. Other hazards

Results of PBT and vPvB assessment: not applicable.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Chemical characterization**

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.



according to Regulation (EC) No 1907/2006

Revision date: 25.09.2019

# **BIZOL Green Oil 5W40**

Page 2 of 7

# Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
64742-54-7	distillates (petroleum), hydrotreate	d heavy paraffinic		25 - <= 100 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
	polyolefin polyamine succinimide, polyol			2.5 - < 5 %
	Aquatic Chronic 4; H413			
90480-91-4	phenol, 2,2'-polythiobis[4-C8-30-alkyl derivatives], calcium salts, overbased			1 - < 2.5 %
	291-829-9		01-2119524004-56	
	Aquatic Chronic 4; H413			
68784-31-6	phosphorodithioic acid, mixed O,C	-bis(sec-Bu and 1,3-dimethylbutyl) ε	esters, zinc salts	1 - < 2.5 %
	272-238-5		01-2119657973-23	
	Eye Dam. 1, Aquatic Chronic 2; H	318 H411		

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

# 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

# Unsuitable extinguishing media

Full water jet.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



according to Regulation (EC) No 1907/2006

Revision date: 25.09.2019

# **BIZOL Green Oil 5W40**

Page 3 of 7

# Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

See protective measures under point 7 and 8.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

## Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

## Advice on protection against fire and explosion

No special measures are necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

# 7.3. Specific end use(s)

Observe technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	distillates (petroleum), hydrotreated heavy paraffinic			
Consumer DNE	EL, long-term	inhalation	local	1,2 mg/m³
Worker DNEL, long-term inhalation local 5,4		5,4		

**PNEC** values

CAS No	CAS No Substance	
Environmental	compartment	Value
64742-54-7 distillates (petroleum), hydrotreated heavy paraffinic		
Secondary poisoning 9,33 mg/kg		9,33 mg/kg

## 8.2. Exposure controls

# Appropriate engineering controls

See chapter 7. No additional measures necessary.

#### Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

## Eye/face protection



according to Regulation (EC) No 1907/2006

Revision date: 25.09.2019

# **BIZOL Green Oil 5W40**

Page 4 of 7

Eye glasses with side protection.

# Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

# Skin protection

Protective clothing.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Liquid		
Colour:	green		
Odour:	characteristic		
			Test method
pH-Value:		not applicable	
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		not determined	
Pour point:		<= -30 °C	DIN ISO 3016
Flash point:		>= 200 °C	EN ISO 2592
Lower explosion limits:		0,4 vol. %	
Upper explosion limits:		4,5 vol. %	
Ignition temperature:		not determined	
Decomposition temperature:		No information available.	
Vapour pressure: (at 20 °C)		< 0,1 hPa	
Density (at 15 °C):		0,86 g/cm³	DIN EN ISO 12185
Water solubility:		insoluble	
Partition coefficient:		not determined	
Viscosity / dynamic:		not determined	
Viscosity / kinematic: (at 40 °C)		80 mm²/s	ASTM D 7042
Flow time:		not determined	
Vapour density:		not determined	
Evaporation rate:		not determined	
9.2. Other information			
No information available.			

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.



according to Regulation (EC) No 1907/2006

# **BIZOL Green Oil 5W40**

Revision date: 25.09.2019

Page 5 of 7

# 10.2. Chemical stability

No information available.

# 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

# 10.4. Conditions to avoid

Heat.

#### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No information available.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	distillates (petroleum), hydrotreated heavy paraffinic				
		LD50 > 5000,0 mg/kg	Rat		
		LD50 > 5000,0 mg/kg	Rabbit		

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

Contains calcium long chain alkaryl sulfonate. May produce an allergic reaction.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

# Practical experience

#### Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

There are no data available on the mixture itself.

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available



according to Regulation (EC) No 1907/2006

**BIZOL Green Oil 5W40** 

Revision date: 25.09.2019

Page 6 of 7

# 12.6. Other adverse effects

No data available

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

# Advice on disposal

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

## Waste disposal number of waste from residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.Marine pollutant:NO

Air transport (ICAO-TI/IATA-DGR)

# 14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user No data available no

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information2010/75/EU (VOC):0 %Information according to 2012/18/EUNot subject to 2012/18/EU (SEVESO III)(SEVESO III):

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Revision date: 25.09.2019

# **BIZOL Green Oil 5W40**

Page 7 of 7

# National regulatory information

1 - slightly water contaminating

# Water contaminating class (D): 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,9,11,15.

# Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organization CAS: Chemical Abstracts Service (a division of the American Chemical Society) DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level PNEC: Predicted No Effect Concentration WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average STEL (EC): Short Term Exposure Limit ATE: Acute Toxicity Estimate LD50: Lethal Dose, 50% (median lethal dose) LC50: Lethal Concentration, 50% (median lethal concentration) EC50: half maximal Effective Concentration ErC50: EC50 in terms of reduction of growth rate AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

# Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains calcium long chain alkaryl sulfonate. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

## **Further Information**

Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

------

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)